


## Acquired Brain Injury by Local Health Integration Network in Ontario

### 06 Mississauga Halton



#### Research Team:

**Angela Colantonio**, Principal Investigator  
Senior Research Scientist, Toronto  
Rehabilitation Institute – UHN  
Professor of Occupational Sciences and  
Occupational Therapy,  
University of Toronto  
416-978-1098,  
[angela.colantonio@utoronto.ca](mailto:angela.colantonio@utoronto.ca)

**Vincy Chan**, Research Analyst  
**Daria Parsons**, Consultant  
**Brandon Zagorski**, Statistical Consultant

[www.abiresearch.utoronto.ca](http://www.abiresearch.utoronto.ca)

Lab: 416-946-8575; Fax: 416-946-8570



#### Acknowledgements:

This study was funded by the Ontario Neurotrauma Foundation. We wish to acknowledge support from the Ontario Ministry of Health and Long Term Care, the Toronto Rehabilitation Institute – UHN, and the University of Toronto.

## LIST OF TABLES

TABLE 1. CHARACTERISTICS OF TBI PATIENTS DISCHARGED TO LONG TERM CARE FROM ACUTE CARE, 2003/04 – 2009/10 .....	3
TABLE 2. CHARACTERISTICS OF NTBI PATIENTS DISCHARGED TO LONG TERM CARE FROM ACUTE CARE, 2003/04 – 2009/10 .....	5
TABLE 3. CHARACTERISTICS OF TBI PATIENTS DISCHARGED TO INPATIENT REHABILITATION FROM ACUTE CARE, 2003/04 – 2009/10.....	7
TABLE 4. CHARACTERISTICS OF NTBI PATIENTS DISCHARGED TO INPATIENT REHABILITATION FROM ACUTE CARE, 2003/04 – 2009/10....	9
TABLE 5. CHARACTERISTICS OF TBI PATIENTS LIVING IN RESIDENTIAL CARE AT DISCHARGE FROM INPATIENT REHABILITATION, 2003/04 - 2009/10 .....	11
TABLE 6. CHARACTERISTICS OF NTBI PATIENTS LIVING IN RESIDENTIAL CARE AT DISCHARGE FROM INPATIENT REHABILITATION, 2003/04 - 2009/10 .....	13
TABLE 7. CHARACTERISTICS OF TBI PATIENTS WITH 15+ DAYS IN ALC, 2003/04 - 2009/10.....	15
TABLE 8. CHARACTERISTICS OF NTBI PATIENTS WITH 15+ DAYS IN ALC, 2003/04 - 2009/10.....	17
TABLE 9. CHARACTERISTICS OF TBI PATIENTS DISCHARGED WITH EXTENDED LENGTH OF STAY IN ACUTE CARE, 2003/04 - 2009/10 .....	19
TABLE 10. CHARACTERISTICS OF NTBI PATIENTS DISCHARGED WITH EXTENDED LENGTH OF STAY IN ACUTE CARE, 2003/04 – 2009/10.	21
TABLE 11. CHARACTERISTICS OF TBI PATIENTS READMITTED TO ACUTE CARE WITHIN ONE MONTH OF DISCHARGE, 2003/04 - 2008/09.	23
TABLE 12. CHARACTERISTICS OF NTBI PATIENTS READMITTED TO ACUTE CARE WITHIN ONE MONTH OF DISCHARGE, 2003/04 - 2008/09 .....	25
TABLE 13. ICD-10 DEFINITION OF TBI .....	27
TABLE 14. ICD-10 DEFINITION OF NTBI .....	28

# Methods

---

Acquired brain injury (ABI), which includes brain injury from traumatic (e.g., falls, motor vehicle collisions) and non-traumatic (e.g., anoxia, brain tumours) causes, is a leading cause of death and disability in Canada (please see Table 13 and Table 14 for a list of ABI definitions used in this report). ABI is more common than breast cancer, HIV/AIDS, spinal cord injury, and multiple sclerosis combined. The ABI Dataset Project, funded by the Ontario Neurotrauma Foundation, utilized existing administrative data to answer important research questions about ABI in Ontario that resulted from a recent publication of ABI by Local Health Integration Network (LHIN) in Ontario (please see [www.onf.org](http://www.onf.org) → ABI → Program in Action → ABI Data).

This analysis included fiscal years 2003/04 to 2009/10. LHIN-specific analyses based on inpatient acute care data were obtained from the Discharge Abstract Database (DAD) and inpatient rehabilitation data were obtained from the National Rehabilitation Reporting System (NRS).

## Six questions were addressed in this report:

1. Who is discharged to long term care from acute care?
2. Who is discharged to inpatient rehabilitation from acute care?
3. Who is living in residential care at discharge from inpatient rehabilitation?
4. What are the characteristics of ABI patients with 15+ days in alternate level of care?
5. What are the characteristics of ABI patients with extended length of stay in acute care?
6. Who is readmitted to acute care within 30 days of discharge?

## Definitions of terms used in the report:

- **Alternate Level of Care (ALC):** An ALC patient is one who “has completed the acute care phase of his or her treatment but remains in the acute care bed” (CIHI 2009)
- **Charlson Comorbidity Index:** The Charlson Comorbidity Index estimates the risk of death from comorbid diseases and is calculated as an indicator of the need of patients with ABI
- **Special Care Days:** The cumulative number of days spent in all intensive care units

# Who is Discharged to Long Term Care from Acute Care?

Table 1. Characteristics of TBI Patients Discharged to Long Term Care from Acute Care, 2003/04 – 2009/10

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
Overall	87	100	1,558	100
<b>Age</b>				
<19	0	0	<5	.
19 – 54	<5	.	NR	.
55 – 64	9	10.3	128	8.2
65 – 74	NR	.	168	10.8
75 – 84	38	43.7	520	33.4
85+	30	34.5	627	40.2
<b>Sex</b>				
Female	44	50.6	825	53.0
Male	43	49.4	733	47.0
<b>Fiscal Year of Discharge</b>				
2003/04	8	9.2	169	10.8
2004/05	8	9.2	186	11.9
2005/06	10	11.5	199	12.8
2006/07	14	16.1	221	14.2
2007/08	17	19.5	228	14.6
2008/09	15	17.2	264	16.9
2009/10	15	17.2	291	18.7
<b>Length of Stay in Acute Care</b>				
1 – 2	7	8.0	102	6.5
3 – 5	9	10.3	258	16.6
6 – 11	22	25.3	314	20.2
12+	49	56.3	884	56.7
<b>Charlson Comorbidity Index Score</b>				
0 – 1 (low)	64	73.6	1,168	75.0
2 - 3	15	17.2	311	20.0
4+ (high)	8	9.2	79	5.1
<b>Psychiatric Comorbidity</b>				
Yes	48	55.2	724	46.5
No	39	44.8	834	53.5
<b>Number of ALC Days</b>				
None	47	54.0	893	57.3
1 – 2	<5	.	32	2.1
3 – 5	<5	.	35	2.2
6 – 11	<5	.	101	6.5

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
12+	35	40.2	497	31.9
<b>Number of Special Care Days</b>				
None	77	88.5	1,308	84.0
1 – 2	<5	.	79	5.1
3 – 5	<5	.	75	4.8
6 – 11	0	0	51	3.3
12+	<5	.	45	2.9
<b>Motor Vehicle Collision</b>				
Yes	<5	.	77	4.9
No	NR	.	1,481	95.1
<b>Number of Previous ABI Admissions</b>				
0	64	73.6	1,135	72.8
1	16	18.4	315	20.2
2+	7	8.0	108	6.9

**Note:** NR = not reportable due to small cell size

Table 2. Characteristics of nTBI Patients Discharged to Long Term Care from Acute Care, 2003/04 – 2009/10

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
Overall	254	100	4,214	100
<b>Age</b>				
<19	0	0	<5	.
19 – 54	14	5.5	NR	.
55 – 64	13	5.1	397	9.4
65 – 74	39	15.4	755	17.9
75 – 84	102	40.2	1,619	38.4
85+	86	33.9	1,168	27.7
<b>Sex</b>				
Female	163	64.2	2,466	58.5
Male	91	35.8	1,748	41.5
<b>Fiscal Year of Discharge</b>				
2003/04	32	12.6	683	16.2
2004/05	55	21.7	688	16.3
2005/06	47	18.5	630	15.0
2006/07	33	13.0	582	13.8
2007/08	27	10.6	533	12.6
2008/09	31	12.2	569	13.5
2009/10	29	11.4	529	12.6
<b>Length of Stay in Acute Care</b>				
1 – 2	9	3.5	149	3.5
3 – 5	44	17.3	612	14.5
6 – 11	92	36.2	1,041	24.7
12+	109	42.9	2,412	57.2
<b>Charlson Comorbidity Index Score</b>				
0 – 1 (low)	107	42.1	1,832	43.5
2 – 3	104	40.9	1,406	33.4
4+ (high)	43	16.9	976	23.2
<b>Psychiatric Comorbidity</b>				
Yes	108	42.5	1,546	36.7
No	146	57.5	2,668	63.3
<b>Number of ALC Days</b>				
None	192	75.6	2,645	62.8
1 – 2	<5	.	81	1.9
3 – 5	NR	.	100	2.4
6 – 11	11	4.3	277	6.6
12+	42	16.5	1,111	26.4
<b>Number of Special Care Days</b>				
None	232	91.3	3,613	85.7
1 – 2	6	2.4	202	4.8
3 – 5	9	3.5	165	3.9
6 – 11	<5	.	118	2.8

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
12+	<5	.	116	2.8
<b>Number of Previous ABI Admissions</b>				
0	192	75.6	2,868	68.1
1	47	18.5	848	20.1
2+	15	5.9	498	11.8

**Note:** NR = not reportable due to small cell size

# Who is Discharged to Inpatient Rehabilitation from Acute Care?

Table 3. Characteristics of TBI Patients Discharged to Inpatient Rehabilitation from Acute Care, 2003/04 – 2009/10

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
Overall	250	100	3,248	100
<b>Age</b>				
<19	8	3.2	182	5.6
19 – 54	80	32.0	1,276	39.3
55 – 64	42	16.8	382	11.8
65 – 74	33	13.2	454	14.0
75 – 84	63	25.2	659	20.3
85+	24	9.6	295	9.1
<b>Sex</b>				
Female	100	40.0	1,144	35.2
Male	150	60.0	2,104	64.8
<b>Fiscal Year of Discharge</b>				
2003/04	33	13.2	375	11.5
2004/05	12	4.8	396	12.2
2005/06	37	14.8	423	13.0
2006/07	37	14.8	471	14.5
2007/08	49	19.6	522	16.1
2008/09	41	16.4	515	15.9
2009/10	41	16.4	546	16.8
<b>Length of Stay in Acute Care</b>				
1 – 2	<5	.	22	0.7
3 – 5	<5	.	159	4.9
6 – 11	64	25.6	642	19.8
12+	178	71.2	2,425	74.7
<b>Charlson Comorbidity Index Score</b>				
0 – 1 (low)	206	82.4	2,804	86.3
2 - 3	38	15.2	389	12.0
4+ (high)	6	2.4	55	1.7
<b>Psychiatric Comorbidity</b>				
Yes	39	15.6	667	20.5
No	211	84.4	2,581	79.5
<b>Number of ALC Days</b>				
None	126	50.4	1,669	51.4
1 – 2	28	11.2	232	7.1
3 – 5	24	9.6	281	8.7
6 – 11	30	12.0	456	14.0



Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
12+	42	16.8	610	18.8
<b>Number of Special Care Days</b>				
None	122	48.8	1,429	44.0
1 – 2	19	7.6	351	10.8
3 – 5	27	10.8	376	11.6
6 – 11	27	10.8	423	13.0
12+	55	22.0	669	20.6
<b>Motor Vehicle Collision</b>				
Yes	77	30.8	1,003	30.9
No	173	69.2	2,245	69.1
<b>Number of Previous ABI Admissions</b>				
0	178	71.2	2,294	70.6
1	61	24.4	771	23.7
2+	11	4.4	183	5.6

Table 4. Characteristics of nTBI Patients Discharged to Inpatient Rehabilitation from Acute Care, 2003/04 – 2009/10

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
Overall	488	100	4,936	100
<b>Age</b>				
<19	<5	.	51	1.0
19 – 54	115	23.6	1,325	26.8
55 – 64	97	19.9	931	18.9
65 – 74	88	18.0	1,060	21.5
75 – 84	142	29.1	1,193	24.2
85+	NR	.	376	7.6
<b>Sex</b>				
Female	237	48.6	2,293	46.5
Male	251	51.4	2,643	53.5
<b>Fiscal Year of Discharge</b>				
2003/04	72	14.8	605	12.3
2004/05	67	13.7	646	13.1
2005/06	81	16.6	697	14.1
2006/07	58	11.9	714	14.5
2007/08	65	13.3	714	14.5
2008/09	63	12.9	744	15.1
2009/10	82	16.8	816	16.5
<b>Length of Stay in Acute Care</b>				
1 – 2	<5	.	50	1.0
3 – 5	NR	.	271	5.5
6 – 11	128	26.2	1,037	21.0
12+	322	66.0	3,578	72.5
<b>Charlson Comorbidity Index Score</b>				
0 – 1 (low)	251	51.4	2,613	52.9
2 – 3	149	30.5	1,436	29.1
4+ (high)	88	18.0	887	18.0
<b>Psychiatric Comorbidity</b>				
Yes	67	13.7	836	16.9
No	421	86.3	4,100	83.1
<b>Number of ALC Days</b>				
None	271	55.5	2,660	53.9
1 – 2	67	13.7	399	8.1
3 – 5	47	9.6	460	9.3
6 – 11	63	12.9	639	12.9
12+	40	8.2	778	15.8
<b>Number of Special Care Days</b>				
None	295	60.5	2,710	54.9
1 – 2	54	11.1	627	12.7
3 – 5	54	11.1	482	9.8
6 – 11	33	6.8	436	8.8

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
12+	52	10.7	681	13.8
<b>Number of Previous ABI Admissions</b>				
0	291	59.6	2,848	57.7
1	126	25.8	1,322	26.8
2+	71	14.5	766	15.5

**Note:** NR = not reportable due to small cell size

# Who Lives in Residential Care\* at Discharge from Inpatient Rehabilitation?

\* This analysis combined data for ABI patients living in a residential care facility and those living in assisted living settings at discharge from inpatient rehabilitation.

Table 5. Characteristics of TBI Patients Living in Residential Care at Discharge from Inpatient Rehabilitation, 2003/04 - 2009/10

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
Overall	27	100	431	100
<b>Age</b>				
19 – 54	8	29.6	136	31.6
55 – 64	<5	.	49	11.4
65 – 74	<5	.	55	12.8
75 – 84	<5	.	117	27.1
85+	6	22.2	74	17.2
<b>Sex</b>				
Female	14	51.9	183	42.5
Male	13	48.1	248	57.5
<b>Fiscal Year of Discharge</b>				
2003/04	6	22.2	70	16.2
2004/05	<5	.	65	15.1
2005/06	<5	.	57	13.2
2006/07	<5	.	67	15.5
2007/08	<5	.	63	14.6
2008/09	<5	.	68	15.8
2009/10	<5	.	41	9.5
<b>Length of Stay in Acute Care</b>				
1 – 2	0	0	6	1.4
3 – 5	<5	.	18	4.2
6 – 11	<5	.	67	15.5
12+	22	81.5	340	78.9
<b>Charlson Comorbidity Index Score</b>				
0 – 1 (low)	19	70.4	358	83.1
2 - 3	<5	.	61	14.2
4+ (high)	<5	.	12	2.8
<b>Psychiatric Comorbidity</b>				
Yes	<5	.	97	22.5
No	NR	.	334	77.5
<b>Number of ALC Days</b>				
None	16	59.3	210	48.7
1 – 2	<5	.	21	4.9

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
3 – 5	<5	.	28	6.5
6 – 11	<5	.	65	15.1
12+	<5	.	107	24.8
<b>Number of Special Care Days</b>				
None	10	37.0	187	43.4
1 – 2	0	0	48	11.1
3 – 5	<5	.	42	9.7
6 – 11	<5	.	50	11.6
12+	10	37.0	104	24.1
<b>Motor Vehicle Collision</b>				
Yes	8	29.6	120	27.8
No	19	70.4	311	72.2
<b>Number of Previous ABI Admissions</b>				
0	NR	.	333	77.3
1	<5	.	81	18.8
2+	0	0	17	3.9

**Note:** NR = not reportable due to small cell size

Table 6. Characteristics of nTBI Patients Living in Residential Care at Discharge from Inpatient Rehabilitation, 2003/04 - 2009/10

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
Overall	38	100	525	100
<b>Age</b>				
19 – 54	12	31.6	135	25.7
55 – 64	<5	.	74	14.1
65 – 74	7	18.4	96	18.3
75 – 84	10	26.3	157	29.9
85+	NR	.	63	12.0
<b>Sex</b>				
Female	19	50.0	268	51.0
Male	19	50.0	257	49.0
<b>Fiscal Year of Discharge</b>				
2003/04	11	28.9	82	15.6
2004/05	7	18.4	94	17.9
2005/06	<5	.	71	13.5
2006/07	7	18.4	85	16.2
2007/08	<5	.	65	12.4
2008/09	<5	.	70	13.3
2009/10	<5	.	58	11.0
<b>Length of Stay in Acute Care</b>				
1 – 2	<5	.	13	2.5
3 – 5	<5	.	43	8.2
6 – 11	9	23.7	81	15.4
12+	24	63.2	388	73.9
<b>Charlson Comorbidity Index Score</b>				
0 – 1 (low)	27	71.1	303	57.7
2 - 3	NR	.	170	32.4
4+ (high)	<5	.	52	9.9
<b>Psychiatric Comorbidity</b>				
Yes	6	15.8	113	21.5
No	32	84.2	412	78.5
<b>Number of ALC Days</b>				
None	21	55.3	279	53.1
1 – 2	<5	.	28	5.3
3 – 5	<5	.	45	8.6
6 – 11	<5	.	64	12.2
12+	7	18.4	109	20.8
<b>Number of Special Care Days</b>				
None	21	55.3	298	56.8
1 – 2	<5	.	44	8.4
3 – 5	<5	.	43	8.2
6 – 11	6	15.8	49	9.3

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
12+	<5	.	91	17.3
<b>Number of Previous ABI Admissions</b>				
0	30	78.9	394	75.0
1	NR	.	101	19.2
2+	<5	.	30	5.7

**Note:** NR = not reportable due to small cell size

# What are the Characteristics of ABI Patients with 15+ Days in ALC\*?

\* This analysis focused on the characteristics of ABI patients with 15+ days in ALC as a result of feedback received from LHINs on the recently published ABI reports.

Table 7. Characteristics of TBI Patients with 15+ Days in ALC, 2003/04 - 2009/10

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
Overall	123	100	1,791	100
<b>Age</b>				
<19	<5	.	31	1.7
19 – 54	26	21.1	413	23.1
55 – 64	17	13.8	206	11.5
65 – 74	NR	.	255	14.2
75 – 84	33	26.8	464	25.9
85+	33	26.8	422	23.6
<b>Sex</b>				
Female	46	37.4	698	39.0
Male	77	62.6	1,093	61.0
<b>Fiscal Year of Discharge</b>				
2003/04	<5	.	181	10.1
2004/05	NR	.	204	11.4
2005/06	13	10.6	181	10.1
2006/07	18	14.6	233	13.0
2007/08	25	20.3	304	17.0
2008/09	23	18.7	335	18.7
2009/10	26	21.1	353	19.7
<b>Charlson Comorbidity Index Score</b>				
0 – 1 (low)	89	72.4	1,361	76.0
2 - 3	28	22.8	327	18.3
4+ (high)	6	4.9	103	5.8
<b>Psychiatric Comorbidity</b>				
Yes	60	48.8	747	41.7
No	63	51.2	1,044	58.3
<b>Number of Special Care Days</b>				
None	71	57.7	1,071	59.8
1 – 2	8	6.5	99	5.5
3 – 5	8	6.5	139	7.8
6 – 11	8	6.5	150	8.4
12+	28	22.8	332	18.5
<b>Motor Vehicle Collision</b>				
Yes	20	16.3	299	16.7



Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
No	103	83.7	1,492	83.3
<b>Number of Previous ABI Admissions</b>				
0	94	76.4	1,215	67.8
1	NR	.	462	25.8
2+	<5	.	114	6.4
<b>Discharge Destination <sup>1</sup></b>				
Death	6	4.9	135	7.5
Home	24	19.5	378	21.1
Inpatient Rehabilitation	33	26.8	479	26.7
Long Term Care	35	28.5	442	24.7
Transferred <sup>2</sup>	25	20.3	350	19.5

**Note:** NR = not reportable due to small cell size

<sup>1</sup> Missing values were excluded and thus, column percentages may not add up to 100%

<sup>2</sup> Transferred includes transferred to another facility providing inpatient hospital care and to other

Table 8. Characteristics of nTBI Patients with 15+ Days in ALC, 2003/04 - 2009/10

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
Overall	262	100	4,662	100
<b>Age</b>				
<19	<5	.	16	0.3
19 – 54	43	16.4	812	17.4
55 – 64	NR	.	771	16.5
65 – 74	56	21.4	1,019	21.9
75 – 84	89	34.0	1,425	30.6
85+	37	14.1	619	13.3
<b>Sex</b>				
Female	126	48.1	2,260	48.5
Male	136	51.9	2,402	51.5
<b>Fiscal Year of Discharge</b>				
2003/04	32	12.2	648	13.9
2004/05	43	16.4	554	11.9
2005/06	33	12.6	585	12.5
2006/07	32	12.2	645	13.8
2007/08	52	19.8	718	15.4
2008/09	23	8.8	760	16.3
2009/10	47	17.9	752	16.1
<b>Charlson Comorbidity Index Score</b>				
0 – 1 (low)	84	32.1	1,571	33.7
2 - 3	82	31.3	1,423	30.5
4+ (high)	96	36.6	1,668	35.8
<b>Psychiatric Comorbidity</b>				
Yes	86	32.8	1,491	32.0
No	176	67.2	3,171	68.0
<b>Number of Special Care Days</b>				
None	180	68.7	3,309	71.0
1 – 2	13	5.0	226	4.8
3 – 5	20	7.6	257	5.5
6 – 11	15	5.7	297	6.4
12+	34	13.0	573	12.3
<b>Number of Previous ABI Admissions</b>				
0	173	66.0	2,837	60.9
1	49	18.7	1,151	24.7
2+	40	15.3	674	14.5
<b>Discharge Destination <sup>1</sup></b>				
Death	64	24.4	1,054	22.6
Home	47	17.9	780	16.7
Inpatient Rehabilitation	28	10.7	599	12.8
Long Term Care	35	13.4	973	20.9

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
Transferred <sup>2</sup>	85	32.4	1,241	26.6

**Note:** NR = not reportable due to small cell size

<sup>1</sup> Missing values were excluded and thus, column percentages may not add up to 100%

<sup>2</sup> Transferred includes transferred to another facility providing inpatient hospital care and to other

# Who is Discharged with Extended Length of Stay\* in Acute Care?

\* Extended length of stay (LOS) is defined as LOS in the 75<sup>th</sup> percentile and higher.

Table 9. Characteristics of TBI Patients Discharged with Extended Length of Stay in Acute Care, 2003/04 - 2009/10

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
Overall	651	100	9,399	100
<b>Age</b>				
<19	66	10.1	912	9.7
19 – 54	172	26.4	2,822	30.0
55 – 64	82	12.6	958	10.2
65 – 74	89	13.7	1,266	13.5
75 – 84	141	21.7	2,059	21.9
85+	101	15.5	1,382	14.7
<b>Sex</b>				
Female	252	38.7	3,454	36.7
Male	399	61.3	5,945	63.3
<b>Fiscal Year of Discharge</b>				
2003/04	79	12.1	1,169	12.4
2004/05	69	10.6	1,296	13.8
2005/06	94	14.4	1,269	13.5
2006/07	92	14.1	1,286	13.7
2007/08	102	15.7	1,407	15.0
2008/09	95	14.6	1,414	15.0
2009/10	120	18.4	1,558	16.6
<b>Charlson Comorbidity Index Score</b>				
0 – 1 (low)	489	75.1	7,539	80.2
2 - 3	122	18.7	1,437	15.3
4+ (high)	40	6.1	423	4.5
<b>Psychiatric Comorbidity</b>				
Yes	204	31.3	2,948	31.4
No	447	68.7	6,451	68.6
<b>Number of ALC Days</b>				
None	381	58.5	5,545	59.0
1 – 2	26	4.0	256	2.7
3 – 5	36	5.5	433	4.6
6 – 11	61	9.4	1,005	10.7
12+	147	22.6	2,160	23.0
<b>Number of Special Care Days</b>				
None	330	50.7	4,529	48.2
1 – 2	52	8.0	730	7.8

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
3 – 5	72	11.1	1,052	11.2
6 – 11	72	11.1	1,248	13.3
12+	125	19.2	1,840	19.6
<b>Motor Vehicle Collision</b>				
Yes	147	22.6	2,203	23.4
No	504	77.4	7,196	76.6
<b>Number of Previous ABI Admissions</b>				
0	468	71.9	6,706	71.3
1	146	22.4	2,097	22.3
2+	37	5.7	596	6.3
<b>Discharge Destination <sup>1</sup></b>				
Death	69	10.6	890	9.5
Home	261	40.1	3,641	38.7
Inpatient Rehabilitation	166	25.5	2,303	24.5
Long Term Care	47	7.2	851	9.1
Transferred <sup>2</sup>	107	16.4	1,677	17.8

**Note:** <sup>1</sup> Missing values were excluded and thus, column percentages may not add up to 100%

<sup>2</sup> Transferred includes transferred to another facility providing inpatient hospital care and to other

Table 10. Characteristics of nTBI Patients Discharged with Extended Length of Stay in Acute Care, 2003/04 – 2009/10

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
Overall	2,068	100	29,710	100
<b>Age</b>				
<19	171	8.3	2,315	7.8
19 – 54	434	21.0	6,357	21.4
55 – 64	387	18.7	5,387	18.1
65 – 74	447	21.6	6,511	21.9
75 – 84	464	22.4	6,807	22.9
85+	165	8.0	2,333	7.9
<b>Sex</b>				
Female	1,014	49.0	14,355	48.3
Male	1,054	51.0	15,355	51.7
<b>Fiscal Year of Discharge</b>				
2003/04	318	15.4	4,445	15.0
2004/05	327	15.8	4,273	14.4
2005/06	320	15.5	4,294	14.5
2006/07	270	13.1	4,039	13.6
2007/08	270	13.1	4,045	13.6
2008/09	282	13.6	4,251	14.3
2009/10	281	13.6	4,363	14.7
<b>Charlson Comorbidity Index Score</b>				
0 – 1 (low)	656	31.7	10,238	34.5
2 – 3	585	28.3	8,033	27.0
4+ (high)	827	40.0	11,439	38.5
<b>Psychiatric Comorbidity</b>				
Yes	397	19.2	6,413	21.6
No	1,671	80.8	23,297	78.4
<b>Number of ALC Days</b>				
None	1,456	70.4	20,085	67.6
1 – 2	55	2.7	644	2.2
3 – 5	65	3.1	1,008	3.4
6 – 11	162	7.8	2,285	7.7
12+	330	16.0	5,688	19.1
<b>Number of Special Care Days</b>				
None	1,294	62.6	18,596	62.6
1 – 2	144	7.0	1,958	6.6
3 – 5	155	7.5	2,025	6.8
6 – 11	163	7.9	2,454	8.3
12+	312	15.1	4,677	15.7
<b>Number of Previous ABI Admissions</b>				
0	1,277	61.8	18,246	61.4
1	465	22.5	6,867	23.1
2+	326	15.8	4,597	15.5

Characteristics	Mississauga Halton		Ontario	
	N	Col%	N	Col%
<b>Discharge Destination <sup>1</sup></b>				
Death	574	27.8	7,645	25.7
Home	834	40.3	11,618	39.1
Inpatient Rehabilitation	258	12.5	2,930	9.9
Long Term Care	82	4.0	2,027	6.8
Transferred <sup>2</sup>	315	15.2	5,418	18.2

**Note:** <sup>1</sup> Missing values were excluded and thus, column percentages may not add up to 100%

<sup>2</sup> Transferred includes transferred to another facility providing inpatient hospital care and to other

# Who is Readmitted to Acute Care within One Month of Discharge?

Table 11. Characteristics of TBI Patients Readmitted to Acute Care within One Month of Discharge, 2003/04 - 2008/09

Characteristics	Mississauga Halton (N = 1,974)		Ontario (N = 30,579)	
	N	Col%	N	Col%
Overall	84	100	1,220	100
<b>Age</b>				
<19	23	27.4	199	16.3
19 – 54	25	29.8	386	31.6
55 – 64	10	11.9	144	11.8
65 – 74	9	10.7	160	13.1
75 – 84	11	13.1	235	19.3
85+	6	7.1	96	7.9
<b>Sex</b>				
Female	32	38.1	360	29.5
Male	52	61.9	860	70.5
<b>Fiscal Year of Discharge</b>				
2003/04	11	13.1	163	13.4
2004/05	12	14.3	238	19.5
2005/06	23	27.4	224	18.4
2006/07	9	10.7	190	15.6
2007/08	11	13.1	186	15.2
2008/09	18	21.4	219	18.0
<b>Length of Stay in Acute Care</b>				
1 – 2	19	22.6	194	15.9
3 – 5	26	31.0	410	33.6
6 – 11	18	21.4	282	23.1
12+	21	25.0	334	27.4
<b>Charlson Comorbidity Index Score</b>				
0 – 1 (low)	74	88.1	1,068	87.5
2 - 3	NR	.	124	10.2
4+ (high)	<5	.	28	2.3
<b>Psychiatric Comorbidity</b>				
Yes	<5	.	277	22.7
No	NR	.	943	77.3
<b>Number of ALC Days</b>				
None	77	91.7	1,099	90.1
1 – 2	0	0	22	1.8
3 – 5	<5	.	18	1.5
6 – 11	<5	.	28	2.3
12+	<5	.	53	4.3



Characteristics	Mississauga Halton (N = 1,974)		Ontario (N = 30,579)	
	N	Col%	N	Col%
<b>Number of Special Care Days</b>				
None	52	61.9	867	71.1
1 – 2	17	20.2	170	13.9
3 – 5	6	7.1	86	7.0
6 – 11	<5	.	53	4.3
12+	<5	.	44	3.6
<b>Motor Vehicle Collision</b>				
Yes	14	16.7	164	13.4
No	70	83.3	1,056	86.6
<b>Number of Previous ABI Admissions</b>				
0	<5	.	76	6.2
1	54	64.3	755	61.9
2+	NR	.	389	31.9
<b>Discharge Destination <sup>1</sup></b>				
Home	64	76.2	911	74.7
Inpatient Rehabilitation	NR	.	111	9.1
Long Term Care	<5	.	54	4.4
Transferred <sup>2</sup>	10	11.9	142	11.6

**Note:** NR = not reportable due to small cell size

<sup>1</sup> Missing values were excluded and thus, column percentages may not add up to 100%

<sup>2</sup> Transferred includes transferred to another facility providing inpatient hospital care and to other

Table 12. Characteristics of nTBI Patients Readmitted to Acute Care within One Month of Discharge, 2003/04 - 2008/09

Characteristics	Mississauga Halton (N = 7,008)		Ontario (N = 97,700)	
	N	Col%	N	Col%
Overall	705	100	9,300	100
<b>Age</b>				
<19	143	20.3	1,569	16.9
19 – 54	212	30.1	2,688	28.9
55 – 64	132	18.7	1,904	20.5
65 – 74	121	17.2	1,794	19.3
75 – 84	85	12.1	1,144	12.3
85+	12	1.7	201	2.2
<b>Sex</b>				
Female	299	42.4	4,165	44.8
Male	406	57.6	5,135	55.2
<b>Fiscal Year of Discharge</b>				
2003/04	108	15.3	1,562	16.8
2004/05	95	13.5	1,492	16.0
2005/06	133	18.9	1,561	16.8
2006/07	126	17.9	1,578	17.0
2007/08	123	17.4	1,553	16.7
2008/09	120	17.0	1,554	16.7
<b>Length of Stay in Acute Care</b>				
1 – 2	93	13.2	1,169	12.6
3 – 5	236	33.5	2,928	31.5
6 – 11	176	25.0	2,747	29.5
12+	200	28.4	2,456	26.4
<b>Charlson Comorbidity Index Score</b>				
0 – 1 (low)	203	28.8	2,425	26.1
2 - 3	218	30.9	2,642	28.4
4+ (high)	284	40.3	4,233	45.5
<b>Psychiatric Comorbidity</b>				
Yes	48	6.8	666	7.2
No	657	93.2	8,634	92.8
<b>Number of ALC Days</b>				
None	668	94.8	8,812	94.8
1 – 2	<5	.	73	0.8
3 – 5	10	1.4	97	1.0
6 – 11	NR	.	145	1.6
12+	15	2.1	173	1.9
<b>Number of Special Care Days</b>				
None	593	84.1	7,802	83.9
1 – 2	79	11.2	921	9.9
3 – 5	17	2.4	324	3.5
6 – 11	10	1.4	152	1.6
12+	6	0.9	101	1.1

Characteristics	Mississauga Halton (N = 7,008)		Ontario (N = 97,700)	
	N	Col%	N	Col%
<b>Number of Previous ABI Admissions</b>				
0	<5	.	92	1.0
1	NR	.	3,220	34.6
2+	447	63.4	5,988	64.4
<b>Discharge Destination <sup>1</sup></b>				
Home	635	90.1	8,234	88.5
Inpatient Rehabilitation	28	4.0	303	3.3
Long Term Care	8	1.1	146	1.6
Transferred <sup>2</sup>	34	4.8	611	6.6

**Note:** NR = not reportable due to small cell size

<sup>1</sup> Missing values were excluded and thus, column percentages may not add up to 100%

<sup>2</sup> Transferred includes transferred to another facility providing inpatient hospital care and to other

# ICD-10 Definitions of ABI

Table 13. ICD-10 Definition of TBI

Diagnosis	ICD-10 Code and Description
1. Fracture and crushing of the skull and facial bones	<ul style="list-style-type: none"> <li>✓ S02.0 Fracture of vault of skull</li> <li>✓ S02.1 Fracture of base of skull</li> <li>✓ S02.3 Fracture of the orbital floor</li> <li>✓ S02.7 Multiple fractures involving skull and facial bones</li> <li>✓ S02.8 Fractures of other skull and facial bones</li> <li>✓ S02.9 Fractures of skull and facial bones, part unspecified</li> <li>✓ S07.1 Crushing injury of skull</li> </ul>
2. Intracranial injury, excluding those with skull fracture	<ul style="list-style-type: none"> <li>✓ S06.0 Concussion</li> <li>✓ S06.1 Traumatic cerebral oedema</li> <li>✓ S06.2 Diffuse brain injury</li> <li>✓ S06.3 Focal brain injury</li> <li>✓ S06.4 Epidural hemorrhage</li> <li>✓ S06.5 Traumatic subdural hemorrhage</li> <li>✓ S06.6 Traumatic subarachnoid hemorrhage</li> <li>✓ S06.7 Intracranial injury with prolonged coma</li> <li>✓ S06.8 Other intracranial injuries</li> <li>✓ S06.9 Intracranial injury, unspecified</li> </ul>
3. Late effects of injuries  The "sequelae" include conditions specified as such or as late effects, or those present one year or more after onset of the causal condition.	<ul style="list-style-type: none"> <li>✓ F07.2 Post concussion syndrome</li> <li>✓ T90.2 Sequelae of fracture of skull and facial bones</li> <li>✓ T90.5 Sequelae of intracranial injury</li> </ul>

Table 14. ICD-10 Definition of nTBI

Diagnosis	ICD-10 Code and Description
1. Toxic effect of substances, chiefly non-medical as to source	<ul style="list-style-type: none"> <li>✓ T40.5 Poisoning: cocaine</li> <li>✓ T42.6 Poisoning by other antiepileptic and sedative-hypnotic drugs, Methaqualone, Valproic acid</li> <li>✓ T51 Toxic effect of alcohol</li> <li>✓ T56 Toxic effect of metals</li> <li>✓ T57.0 Toxic effect of arsenic and its compounds</li> <li>✓ T57.2 Toxic effect of manganese and its compounds</li> <li>✓ T57.3 Toxic effect of hydrogen cyanide</li> <li>✓ T58 Toxic effect of carbon monoxide</li> <li>✓ T64 Toxic effect of aflatoxin and other mycotoxin food contaminants</li> <li>✓ T65.0 Toxic effect of cyanides</li> </ul>
2. Anoxia	<ul style="list-style-type: none"> <li>✓ G93.1 Anoxic brain damage (includes all causes of anoxia except those occurring following abortions, ectopic pregnancy, labour and delivery and newborn)</li> <li>✓ T71 Asphyxiation, suffocation (by strangulation)</li> <li>✓ T75.1 Drowning and nonfatal submersion</li> <li>✓ R09.0 Asphyxia</li> </ul>
3. Vascular insults (not captured in stroke analyses)	<ul style="list-style-type: none"> <li>✓ I62.0 Subdural hemorrhage</li> <li>✓ I62.9 Unspecified intracranial hemorrhage</li> </ul>
4. Brain tumours	<ul style="list-style-type: none"> <li>✓ C70 Malignant neoplasm of brain</li> <li>✓ C71 Malignant neoplasm of brain</li> <li>✓ C79.3 Secondary malignant neoplasm of brain and cerebral meninges</li> <li>✓ C79.4 Secondary malignant neoplasm of other and unspecified part of nervous system</li> <li>✓ D32.0 Benign neoplasm of cerebral meninges</li> <li>✓ D33.0 Benign neoplasm of brain, supratentorial</li> <li>✓ D33.1 Benign neoplasm of brain, infratentorial</li> <li>✓ D33.2 Benign neoplasm of brain, unspecified</li> <li>✓ D33.3 Benign neoplasm of cranial nerves</li> <li>✓ D42.0 Neoplasm of uncertain or unknown behaviour of cerebral meninges</li> <li>✓ D43 Neoplasm of uncertain or unknown behaviour of brain and central nervous system</li> <li>✓ D43.2 Neoplasm of brain, unspecified</li> <li>✓ G06.0 Intracranial abscess and granuloma</li> <li>✓ G06.1 Intraspinial abscess and granuloma</li> <li>✓ G06.2 Extradural and subdural abscess, unspecified</li> <li>✓ G07 Intracranial and intraspinal abscess and granuloma in disease classified elsewhere</li> <li>✓ G93.0 Cerebral cysts</li> </ul>

Diagnosis	ICD-10 Code and Description
5. Encephalitis	<ul style="list-style-type: none"> <li>✓ A81.1 Subacute, sclerosing encephalitis</li> <li>✓ A83.0 Japanese encephalitis</li> <li>✓ A83.2 Eastern equine encephalitis</li> <li>✓ A86.0 Unspecified viral encephalitis</li> <li>✓ B00.4 Herpes viral meningoencephalitis</li> <li>✓ B01.1 Varicella encephalitis</li> <li>✓ B02.0 Zoster encephalitis</li> <li>✓ B05.0 Postmeasles encephalitis</li> <li>✓ B94.1 Sequelae of viral encephalitis</li> <li>✓ G04.0 Acute disseminated encephalitis</li> <li>✓ G04.2 Bacterial meningoencephalitis and meningomyelitis, not elsewhere classified</li> <li>✓ G04.8 Other encephalitis, myelitis and encephalomyelitis</li> <li>✓ G04.9 Encephalitis, myelitis, and encephalomyelitis, unspecified</li> <li>✓ G05 Encephalitis, myelitis, and encephalomyelitis in diseases classified elsewhere</li> <li>✓ G09 Sequelae of inflammatory diseases of central nervous system</li> </ul>
6. Metabolic encephalopathies	<ul style="list-style-type: none"> <li>✓ E10.0 (Type I)</li> <li>✓ E11.0 (Type II)</li> <li>✓ E13.0 Other specified diabetes mellitus with coma</li> <li>✓ E14.0 Unspecified diabetes mellitus with coma</li> <li>✓ E15 Nondiabetic hypoglycaemic coma</li> <li>✓ G92 Toxic encephalopathy</li> <li>✓ G93.4 Encephalopathy, unspecified</li> </ul>
7. Meningitis	<ul style="list-style-type: none"> <li>✓ A87 Viral meningitis</li> <li>✓ B01.0 Varicella meningitis</li> <li>✓ B37.5 Candidal meningitis</li> <li>✓ G00 Bacterial meningitis, not elsewhere classified</li> <li>✓ G01 Meningitis in bacterial diseases classified elsewhere</li> <li>✓ G02 Meningitis in other infectious and parasitic diseases classified elsewhere</li> <li>✓ G03 Meningitis due to other and unspecified causes</li> </ul>
8. Other brain disorders and infections	<ul style="list-style-type: none"> <li>✓ G91.0 Communicating hydrocephalus</li> <li>✓ G91.1 Obstructive hydrocephalus</li> <li>✓ G91.2 Normal-pressure hydrocephalus</li> <li>✓ G93.2 Benign intracranial hypertension</li> <li>✓ G93.5 Compression of brain</li> <li>✓ G93.6 Cerebral oedema</li> <li>✓ G93.8 Other specified disorders of the brain (including post-radiation encephalopathy)</li> <li>✓ G93.9 Disorder of the brain, unspecified</li> <li>✓ G99.8 Other specified disorders of nervous system in diseases classified elsewhere</li> <li>✓ R29.1 Meningismus</li> </ul>